


AD-A176 971 FREE BOUNDARY CONTROL OF BROWNIAN MOTION AND A RELATED 1/1  
OPTIMAL STOPPING P (U) FLORIDA STATE UNIV TALLAHASSEE  
DEPT OF STATISTICS M I TAKSAR SEP 86  
UNCLASSIFIED FSU-STATISTICS-M746 AFOSR-TR-87-0061 F/G 1/2 NL





AD-A176 971

②

## DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED			1b. RESTRICTIVE MARKINGS		
2a. SECURITY CLASSIFICATION AUTHORITY NA			3. DISTRIBUTION/AVAILABILITY OF REPORT Approved for Public Release; Distribution Unlimited		
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE NA					
4. PERFORMING ORGANIZATION REPORT NUMBER(S) FSU Statistics Report M-46			5. MONITORING ORGANIZATION REPORT NUMBER AFOSR-TK-87-0061		
6a. NAME OF PERFORMING ORGANIZATION Florida State University		6b. OFFICE SYMBOL (If applicable)		7a. NAME OF MONITORING ORGANIZATION AFOSR/NM	
6c. ADDRESS (City, State and ZIP Code) Department of Statistics Tallahassee, FL 32306-3033			7b. ADDRESS (City, State and ZIP Code) Bldg. 410 Bolling AFB, DC 20332-6448		
8a. NAME OF FUNDING SPONSORING ORGANIZATION AFOSR		8b. OFFICE SYMBOL (If applicable)		9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER Grant Number F49620-85-C-0007	
8c. ADDRESS (City, State and ZIP Code) Bldg. 410 Bolling AFB, DC			10. SOURCE OF FUNDING NOS		
			PROGRAM ELEMENT NO. 6.1102F		PROJECT NO. 2304
			TASK NO. M/S		WORK UNIT NO.
11. TITLE (Include Security Classification) Free Boundary Control of Brownian Motion and a Related Optimal Stopping Problem					
12. PERSONAL AUTHOR(S) Michael I. Taksar					
13a. TYPE OF REPORT Technical		13b. TIME COVERED FROM _____ TO _____		14. DATE OF REPORT (Yr., Mo., Day) September, 1986	
15. SUPPLEMENTARY NOTATION To appear in the "Proceedings of 25th IEEE Conference on Decision and Control" Athens, Greece, December, 1986.					
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)		
FIELD	GROUP	SUB GR			
19. ABSTRACT (Continue on reverse if necessary and identify by block number)					
<p>This problem is motivated by studying dissipative dynamic systems under uncertainty, which in the simplest case will be a model of the automatic cruise control of an aircraft under rain down wind conditions.</p> <p>We consider a new type of controlled diffusion models in which there are no restrictions on the drift (which is under our control), moreover the drift can take on infinite values. This results in the so called "singular" or "free boundary" control.</p> <p>The optimal policy in these models is different from the ones seen in the classical cases. It consists of keeping the process within certain boundaries with minimal efforts. It is shown that one can find optimal boundaries by considering a special stopping game of two players with opposite interests.</p>					
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT UNCLASSIFIED/UNLIMITED <input checked="" type="checkbox"/> SAME AS RPT. <input type="checkbox"/> DTIC USERS <input type="checkbox"/>			21. ABSTRACT SECURITY CLASSIFICATION Unclassified		
22a. NAME OF RESPONSIBLE INDIVIDUAL Frank Proschian, Mike Hollander May Crowley			22b. TELEPHONE NUMBER (Include Area Code) 761 3025		22c. OFFICE SYMBOL AFOSR/NM

DTIC FILE COPY



FREE BOUNDARY CONTROL OF BROWNIAN MOTION  
AND A RELATED OPTIMAL STOPPING PROBLEM

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution	
Availability Codes	
Avail and/or	
Dist	
A-1	

BY

MICHAEL I. TAKSAR\*

Approved for public release;  
distribution unlimited.

FSU TECHNICAL REPORT NO. M746  
AFOSR TECHNICAL REPORT NO. 86-199

SEPTEMBER, 1986

DEPARTMENT OF STATISTICS  
FLORIDA STATE UNIVERSITY  
TALLAHASSEE, FL 32306-3033

AIR FORCE OFFICE OF SCIENTIFIC RESEARCH (AFOSR)  
ATTENTION: TECHNICAL REPORTS  
This technical report has been reviewed and is  
approved for public release (AFOSR 86-199).  
Distribution is unlimited.  
MICHAEL I. TAKSAR  
Department of Statistics  
Florida State University

\* Research supported by the Air Force Office of Scientific Research under  
Grant Number F49620-85-C-0007.

FREE BOUNDARY CONTROL OF BROWNIAN MOTION  
AND A RELATED OPTIMAL STOPPING PROBLEM

Michael I. Taksar\*

Department of Statistics  
Florida State University  
Tallahassee, FL 32306

1. We consider a controlled stochastic linear system

$$Z_s = x + X_{s-t} + R_{s-t} - L_{s-t}. \quad (1)$$

Here  $X$  is a  $(\mu, \sigma^2)$ -Brownian motion and  $R$  and  $L$  are the control functionals, which are increasing and adapted to the  $\sigma$ -field generated by the process  $X$ . For the policy  $S = (L, R)$  the expected cost takes the form

$$K_S(x, t) = E \left\{ \int_t^T h(Z_s, s) e^{-\gamma(s-t)} ds + \ell \int_t^T e^{-\gamma(s-t)} dL_{s-t} + r \int_t^T e^{-\gamma(s-t)} dR_{s-t} \right\}. \quad (2)$$

Here  $h$ ,  $\ell$  and  $r$  stand for holding cost and unit cost of displacement to the left and to the right respectively, and  $\gamma > 0$  is the discount factor. Our objective is to characterize the optimal cost (the value function)

$$V^*(x, t) = \max_S K_S(x, t) \quad (3)$$

and to describe the optimal policy  $S^* = (L^*, R^*)$  for which  $V^* = K_{S^*}$ . The function  $V$  satisfies the Hamilton-Jacobi-Bellman equation (cf. [2])

$$0 = \min \left\{ \frac{\partial V(x, t)}{\partial t} + \Gamma V(x, t) - \gamma V(x, t) + h(x, t), \right. \\ \left. DV(x, t) + r, -DV(x, t) + \ell \right\}, \\ 0 = V(x, T), \quad (4)$$

where  $D = \frac{\partial}{\partial x}$  and

$$\Gamma = \frac{1}{2}\sigma^2 \frac{\partial^2}{\partial x^2} + \mu \frac{\partial}{\partial x}. \quad (5)$$

Our main technical assumptions are similar to the ones in [2]. We assume that

\*Research supported by the Air Force Office of Scientific Research under Grant Number F49620-85-C-0007.

$$T < \infty, \quad (6)$$

$h(x, t)$  is a nonnegative function such that there exists constants  $m$  and  $0 \leq c \leq C$ , such that for every  $x, x', t, t'$

$$\begin{aligned} c|x|^m - C &\leq h(x, t) \leq C(1+|x|^m), \\ |h(x, t) - h(x', t)| &\leq C(1+|x|^{m-1}+|x'|^{m-1}) |x - x'|, \\ |h(x, t) - h(x, t')| &\leq C(1+|x|^m) |t - t'|, \\ 0 \leq \frac{\partial^2 f}{\partial x^2}(x, t) &\leq C(1+|x|^q), \quad q = (m-2)^+. \end{aligned} \quad (7)$$

Theorem 1. Under the assumption (6), (7), there exists a unique solution  $V^*$  to the equation (4). This solution is the value function (3) of the control problem (1), (2).

There exists an optimal policy  $S^* = (L^*, R^*)$  for which  $V^* = K_{S^*}$ . If

$$\begin{aligned} x_1^*(t) &= \min\{x: DV(x, t) = \ell\} \\ x_2^*(t) &= \max\{x: DV(x, t) = -r\} \end{aligned}$$

then for  $Z_s^*$  given by (1)

$$x_2^*(x) \leq Z_s^* \leq x_1^*(s), \quad (8)$$

and

$$\begin{aligned} \int_t^T 1_{Z_s^* < x_1^*(s)} dL_{s-t}^* &= 0 \\ \int_t^T 1_{Z_s^* > x_2^*(s)} dR_{s-t} &= 0. \end{aligned} \quad (9)$$

The above theorem shows that the optimal control consists of reflecting of the control process  $Z^*$  from time-dependent (a priori unknown) boundary.

Let  $\mathcal{D} = \{(x, t): x_2^*(t) \leq x \leq x_1^*(t)\}$  and let  $W = DV(x, t)$ . By formally differentiating (4) we get

$$\frac{\partial W}{\partial t}(x,t) + \Gamma W(x,t) - \gamma W(x,t) + H(x,t) = 0, \quad (10)$$

if  $(x,t) \in D$ ,

$$W(x,t) \leq r, \text{ for all } x \in \mathbb{R}, \quad 0 \leq t \leq T, \quad (11)$$

$$W(x,t) \geq -\ell, \text{ for all } x \in \mathbb{R}, \quad 0 \leq t \leq T, \quad (12)$$

$$W(x,T) = 0. \quad (13)$$

where all equalities and inequalities are understood in the sense of generalized function.

Assume that  $H(0,t) = 0$ , i.e.  $0 = \operatorname{argmin} h(x,t)$ . Consider the following minmax problem (game of two persons)

$$W(x,t) = \sup_{\sigma} \inf_{\tau} E \left\{ \int_t^{\tau \wedge \sigma \wedge T} e^{-\gamma(s-t)} H(x + X_{s-t}) ds \right. \\ \left. + \ell e^{-\gamma(\tau-t)} 1_{\tau < T} 1_{\tau < \sigma} - r e^{-\gamma(\sigma-t)} 1_{\sigma < T} 1_{\sigma < \tau} \right\}, \quad (14)$$

where  $\sup$  is taken over all stopping times  $\sigma \geq t$  such that  $x + X_{\sigma-t} < 0$  and  $\inf$  is taken over all stopping times  $\tau \geq t$  such that  $x + X_{\tau-t} > 0$ .

Theorem 2. The optimal stopping game described above has value that is the right hand side of (14) does not change if  $\sup \inf$  is replaced by  $\inf \sup$ . The value of the game  $W$  satisfies (10) - (13) and it relates to the value function  $V$  by

$$W = DV.$$

2. Suppose  $h$  does not depend on  $t$  and we consider an infinite horizon optimization problem

$$V(x) = \sup_{R,L} E \left\{ \int_0^{\infty} e^{-\gamma s} h(Z_s) ds \right. \\ \left. + \int_0^{\infty} r e^{-\gamma s} dR_s + \int_0^{\infty} \ell e^{-\gamma s} dL_s \right\} \quad (15)$$

where  $Z_s$  is given by (1) with  $t = 0$ .

The Hamilton-Jacobi-Bellman equation for the value function  $V$  given by (15) reduces to an ordinary differential equation with gradient constraints

$$0 = \min\{\gamma V(x) - \gamma V(x) + h(x), V'(x) + r, \ell - V'(x)\} \quad (16)$$

In case of infinite horizon control, we can loosen the assumption on  $h$ , namely we assume that  $h$  is a nonnegative convex  $C^1$  function and

$$|h'(x)| \rightarrow \infty \text{ as } |x| \rightarrow \infty. \quad (17)$$

Theorem 3. Assume that (17) holds and  $r, \ell > 0$ . Then there exists a unique solution  $V^*(x)$  to (16). There exists a unique optimal policy  $R^*, L^*$ . If  $a = \inf\{x: \frac{dV^*}{dx}(x) > -r\}$  and  $b = \sup\{x: \frac{dV^*}{dx}(x) < \ell\}$  then for all  $t > 0$

$$a \leq Z_t^* \leq b$$

where  $Z_t^* = x + X_t + R_t^* - L_t^*$ . Moreover

$$\int_0^\infty 1_{Z_t^* \neq a} dR_t^* = \int_0^\infty 1_{Z_t^* \neq b} dL_t^* = 0.$$

The above theorem shows that the optimal control in the infinite horizon problem consists of keeping the controlled process  $Z^*$  inside the interval  $[a, b]$  reflecting it at the boundaries.

We want to establish the correspondence between optimal control problems and game of optimal stopping of two persons. For simplicity, we assume that  $h$  attains its minimum at point 0.

Consider an optimal stopping game of two persons.

$$W(x) = \sup_{\sigma} \inf_{\tau} E \left\{ \int_0^{\tau \wedge \sigma} e^{-\gamma t} h(x + X_t) dt + \ell e^{-\gamma \tau} 1_{\tau < \sigma} - r e^{-\gamma \sigma} 1_{\sigma < \tau} \right\} \quad (18)$$



where  $\sup$  is taken over all stopping times  $\sigma$  such that  $x + X_\sigma > 0$  and  $\inf$  is taken over all stopping times  $\tau$  such that  $x + X_\tau < 0$ .

Theorem 4. The quantity in the right hand side of (18) does not change if  $\sup \inf$  is changed to  $\inf \sup$ . The value of the game  $W$  given by (18) is equal to the derivative of  $V^*$  given by (16). The optimal policies  $\sigma^*$  and  $\tau^*$  in (18) are given by

$$\sigma^* = \inf\{t: x + X_t \leq b\}$$

$$\tau^* = \inf\{t: x + X_t \geq a\}$$

where  $a$  and  $b$  are the same as in the theorem 3.

Similar results were obtained in [7] for the problem with average (per unit of time) criterion.

## REFERENCES

- [1] Harrison, J.M. and M.I. Taksar (1983). Instantaneous control of a Brownian motion, Math. Oper. Res. 439-453.
- [2] Chow, P.L., Menaldi, J.L. and Robin M. (1985). Additive control of stochastic linear systems with finite horizon. SIAM J. Control & Optimization 23, 858-899.
- [3] Karatzas, I. (1983). A class of singular stochastic control problems. Adv. Appl. Probability 15, 225-254.
- [4] Karatzas, I. (1985). Probabilistic aspects of finite-fuel stochastic control. Proc. Nat'l Acad. Sciences USA 82, 5579-5581.
- [5] Karatzas, I. & Shreve, S.E. (1984). Connections between optimal stopping and singular stochastic control I: Monotone follower problems. SIAM J. Control & Optimization 22, 856-877.
- [6] Karatzas, I. & Shreve, S.E. (1985). Connections between optimal stopping and singular stochastic control II: Reflected follower problems. SIAM J. Control & Optimization 23, 433-451.
- [7] Taksar, M.I. (1985). Average Optimal Singular Control and a Related Stopping Problem. Math. Oper. Res. 10, 63-81.

END

3-87

DTIC